


# Mobile Surveillance Solution

## KW7010 Series *Portable WiMESH*® for Emergency Rescue 900MHz / 2.4GHz / 5GHz

Design to protect and guide your elite units and have them traced throughout their entire operations.

Support recording directly with both video and audio and to monitor an individual or group such as banks, casinos, airports, military installations, and convenience stores when there are emergencies such as fire, natural disaster or when a temporary surveillance or security environments are needed and have all the precious information sent back to their control center in real time.



**MCU**  
Mobile control Unit

TOUCH AND CONNECT!™

**WNet**  
Green Network™

<b>HARDWARE</b>	
Power In	DC 12V
Default Button	Yes
Enclosure	Plastic Case
LED	Power / Status / RSSI (Link Status)
Power Consumption	8W Max.
<b>FEATURE</b>	
Operating Mode	MESH
Link Test Tool	Yes (Real Time Local and Remote RSSI)
Radio Bandwidth	5/ 10 / 20 Mbps
QoS	802.1P
MESH Diagnose	Yes
MESH Link Display	Yes
NTP Client	Yes
CLI	Yes (SSH)
Backup / Restore	Yes
System Log	Yes
Remote Log Server	Yes
<b>SECURITY</b>	
Encryption	AES 256bit
<b>MANAGEMENT</b>	
Web Base Management	Yes
SNMP V.2	Private MIB
Windows Tool	Yes (WiVIEW)
<b>PHYSICAL</b>	
Operating Temperature	-10 ~ 50C
Operating Humidity	10 ~ 95% RH

Model	Frequency MHz	Antenna dBi	Output Power dBm	Sensitivity dBm	Dimension mm	Weight Kg
KWA-7010C	5,120-6,060	N Jack 5 dBi	25	-90	160 x 190 x 40	0.8
KWG-7010C	2,412-2,472	N Jack 5 dBi	23	-92	160 x 190 x 40	0.8
KWN-7010C	903-928	N Jack 2 dBi	23	-92	160 x 190 x 40	0.8



**KW-7010C**



**TOUCH AND CONNECT!™**

**WNet**  
Green Network™